

SCHEDA PRODOTTO

Luxa Tela 100 Zip Screen Blinds

Motorised zip-guided exterior screen with whisper-quiet motor.

CODE ZIP 100

LUXASHADE BY PONARC



Caratteristiche principali

- ▶ Whisper-quiet motor system
- ▶ Zip-guided channels with integrated zipper
- ▶ Natural light with privacy
- ▶ Sun, wind and weather protection
- ▶ Precision fabric tension adjustment
- ▶ Easy assembly and maintenance access
- ▶ Covered panel design
- ▶ Sliding side connections
- ▶ Plastex high-quality accessories
- ▶ Max area 12.5 m²

Specifiche tecniche

Operation	Motorised (whisper-quiet motor)
Guide System	Zip-guided with integrated zipper
Fabric	Balanced — natural light in, blocks outside visibility
Dimensions (X)	900 – 4,000 mm
Dimensions (Y)	500 – 3,500 mm
Max Area	12.5 m ²

Max Expansion	3,500 mm
Note	Heights above 2.7m: fabric has additional markings
Accessories	Plastex high-quality components
Assembly	Covered panel design, sliding side connections
Tension System	Curtain tension PVC profile with precision adjustment

■ Norme & certificazioni

EN 1991-1-1 · Densities, self-weight, imposed loads
EN 1991-1-3 · Snow loads
EN 1991-1-4 · Wind actions
EN 1090-3 · Execution of aluminium structures
EN 12020-2 · Aluminium extrusion tolerances
Qualicoat Class 2 · TIGER Coatings powder coat
EN AW-6063-T5 · Aluminium alloy / temper
ISO 9001 · Manufacturer quality management

■ Garanzia

10 anni sul telaio in alluminio · 5 anni sul rivestimento TIGER · 5 anni sulla motorizzazione (se presente).
Condizioni: installazione entro 12 mesi dalla consegna, rispetto del manuale di installazione, rispetto dei carichi vento/neve specificati.

■ Ordini & assistenza

PONARC Group · Vendite: info@luxashade.com · Progettisti / architetti: support@ponarc.com · Disponibile in DE / AT / CH / NL / BE / FR / IT / RO / RU / SE / DK.
