


PRODUCT DATASHEET

# Luxa Aperio 800 Retractable Louvre Roof System

*A retractable louvre roof that does what fixed-blade systems can't — slide the louvres aside and the sky comes back.*

CODE LRS 800

LUXASHADE BY PONARC



## Belangrijkste eigenschappen

- ▶ Fully retractable louvre blades
- ▶ Open-sky capability
- ▶ Motorised operation
- ▶ All-aluminium construction
- ▶ Four-season weather protection
- ▶ Natural light and ventilation control
- ▶ TIGER Coatings powder coat
- ▶ Any RAL colour
- ▶ 98% recyclable aluminium
- ▶ Fade and wear resistant

## Technische specificaties

Material	Solid aluminium alloy (blades, rails, posts)
Blade Type	Fully retractable (slide and stack)
Surface Finish	TIGER Coatings powder coat, any RAL colour
Control	Motorised retractable mechanism

Climate Control	Natural regulation of light, airflow, and temperature
Weather Protection	Full closure for rain, wind, and adverse conditions
Durability	Fade-resistant, wear-resistant, corrosion-resistant
Recyclability	98% recyclable aluminium

## ■ Normen & certificaten

---

EN 1991-1-1 · Densities, self-weight, imposed loads  
EN 1991-1-3 · Snow loads  
EN 1991-1-4 · Wind actions  
EN 1090-3 · Execution of aluminium structures  
EN 12020-2 · Aluminium extrusion tolerances  
Qualicoat Class 2 · TIGER Coatings powder coat  
EN AW-6063-T5 · Aluminium alloy / temper  
ISO 9001 · Manufacturer quality management

## ■ Garantie

---

10 jaar op aluminium frame · 5 jaar op TIGER poedercoating · 5 jaar op motoraandrijving (indien aanwezig).  
Voorwaarden: installatie binnen 12 maanden na levering, volg de installatiehandleiding, respecteer de gespecificeerde wind-/sneeuwbelasting.

## ■ Bestelling & ondersteuning

---

PONARC Group · Verkoop: [info@luxashade.com](mailto:info@luxashade.com) · Specifiers / architecten: [support@ponarc.com](mailto:support@ponarc.com) · Beschikbaar in  
DE / AT / CH / NL / BE / FR / IT / RO / RU / SE / DK.

